Mathematics Higher Paper 2 Practice Paper O Time allowed 1 hour 10 minutes NATIONAL QUALIFICATIONS

## **Read carefully**

- 1 Calculators may be used in this paper.
- 2 Full credit will be given only where the solution contains appropriate working.
- 3 Answers obtained by readings from scale drawings will not receive any credit.

## FORMULAE LIST

## Circle:

The equation  $x^2 + y^2 + 2gx + 2fy + c = 0$  represents a circle centre (-g, -f) and radius  $\sqrt{g^2 + f^2 - c}$ . The equation  $(x-a)^2 + (y-b)^2 = r^2$  represents a circle centre (a, b) and radius r.

**Scalar Product :**  $a \cdot b = |a| |b| \cos \theta$ , where  $\theta$  is the angle between *a* and *b*.

or 
$$\boldsymbol{a} \cdot \boldsymbol{b} = a_1 b_1 + a_2 b_2 + a_3 b_3$$
, where  $\boldsymbol{a} = \begin{pmatrix} a_1 \\ a_2 \\ a_3 \end{pmatrix}$  and  $\boldsymbol{b} = \begin{pmatrix} b_1 \\ b_2 \\ b_3 \end{pmatrix}$ .

Trigonometric formulae: 
$$sin(A \pm B) = sin A cos B \pm cos A sin B$$
  
 $cos(A \pm B) = cos A cos B \mp sin A sin B$   
 $sin 2A = 2 sin A cos A$   
 $cos 2A = cos^2 A - sin^2 A$   
 $= 2 cos^2 A - 1$   
 $= 1 - 2 sin^2 A$ 

Table of standard derivatives :

f(x)	f'(x)
sin ax	a cos ax
cos ax	$-a\sin ax$

Table of standard integrals :

f(x)	$\int f(x)dx$
sin ax	$-\frac{1}{a}\cos ax + C$
cos ax	$\frac{1}{a}\sin ax + C$

2


1


3

3

- **1.** (*a*) A sequence is defined by the recurrence relation  $u_{n+1} = 0 \cdot 4u_n + 6$ ,  $u_0 = 0$ . Determine the values of  $u_1$ ,  $u_2$  and  $u_3$ .
  - (b) Why does this sequence have a limit as  $n \rightarrow \infty$ ?
  - (c) A second sequence, generated by v<sub>n+1</sub> = pv<sub>n</sub> + 4, has the same limit as the sequence in (*a*).
     Find the value of *p*.
- **2.** A function *f* is defined on the set of real numbers by  $f(x) = x^3 4x^2 7x + 10$ .
  - (*a*) Show that (x-1) is a factor of f(x), and hence factorise f(x) fully. 4

The graph shown has equation of the form  $y = x^3 - 4x^2 - 7x + 10$ .





- **3.** D has coordinates (7, -2, 1) and F is (-1, 2, 5).
  - (*a*) Find the coordinates of E which divides DF in the ratio 1:3. **3**

G has coordinates (6, -2, 5).

(*b*) Show that EG is perpendicular to DF.

3

5

7

4. P, Q and R have coordinates (-4, 6), (8, 10) and (2, 28) respectively.


( <i>a</i> )	Show that PQ is perpendicular to QR.	2

- (*b*) Hence find the equation of the circle which passes through P, Q and R.
- 5. Two functions *f* and g are defined on the set of real numbers by

$$f(x) = 2x + k$$
 and  $g(x) = x^2 - 2k$ , where  $k \neq 0$ 

- (a) Find (i) f(g(x)); (ii) g(f(x)). 3
- (b) Find the value of k for which f(g(x)) = g(f(x)) has equal roots.
- A closed wooden box, in the shape of a cuboid, is constructed from a sheet of wood of area 600 cm<sup>2</sup>.

The base of the box measures 2x cm by x cm. The height of the box is h cm.



(*a*) Assuming the thickness of the sides of the box are negligible, show that the volume (in cubic centimetres) of the box is given by

$$V(x) = 200x - \frac{4}{3}x^3$$

- (*b*) (i) Calculate the value of *x* for which this volume is a maximum.
  - (ii) Find the maximum volume of the box.

7. Whilst carrying out an experiment a scientist gathered some data.

The table shows the data collected by the scientist.

 x
  $4 \cdot 3$   $4 \cdot 7$   $5 \cdot 2$   $6 \cdot 1$  

 y
  $0 \cdot 027$   $0 \cdot 018$   $0 \cdot 011$   $0 \cdot 004$ 

The variables *x* and *y*, in the table, are connected by a relationship of the form  $y = ae^{bx}$ .

Find the values of *a* and *b*.

8. Solve  $2-3\cos x - 4\sin x = 0$  for  $0 \le x \le 2\pi$ .

**End of Question Paper** 



8

6